



ARDE Part Number 4406			
Volume (cubic inches)	847	Material of Construction	
Operating Pressure (psig)	1050	Tank	Cryoformed CRES 301
Proof Factor	1.5	Porting Interface	Mechanical Port
Minimum Burst Factor	2.0		
Actual Rupture Pressure (psig)	2840		
Weight (pounds)	6.16		
Qualification Basis Standard	MIL-STD 1522A	Environmental Load (CO ₂)	
	AIAA-S-080		Contact ARDE